



# McNett Aquasure Instant Repair Kit


## Wader Repair



Apply Aquasure® to tear on inside of wader and 5 mm beyond the tear. Cures over night. For instant in field wader repairs, use the Aquasure® Instant Repair Kit. Apply a patch over tear on outside of wader. Apply Aquasure® to tear on inside of wader and 5 mm beyond the tear. Cover with another patch. Waders can be used immediately. Patches can be removed after 2-3 days.



Use Aquasure® for repairing wader seams. Turn waders inside out and examine seams and fabric for gaps. Apply Aquasure® directly to the seam, extending over seam and on to fabric by 5 mm. Use brush to work Aquasure® under fabric folds and into stitching. Allow Aquasure® to cure for 8 to 12 hours.




Use Aquasure® to repair felt soles. To repair peeling felt soles, clean and dry peeling area. Apply Aquasure® in gap and close. Can also be used to attach new felt soles. Use tape to hold repaired area closed overnight. Remove tape when fully cured.

## Bivvie and Umbrella Repair




For bivvie or umbrella repairs, apply a patch over tear or hole on outside. Apply Aquasure® to tear on inside and 5 mm beyond the tear. For instant in field bivvie or umbrella repairs use Aquasure® Instant Repair Kit (contains 7 g Aquasure® and 3x McNett Tenacious Tape™ patches). Apply one patch over tear or hole on outside. Apply Aquasure® to tear on inside and 5 mm beyond the tear. Cover with another patch. Bivvie or umbrella can be used immediately. Patches can be removed in 2-3 days.



## Net Repair

Aquasure® can also be used to repair loose seam tapes and to strengthen stress points.



Aquasure® can also repair fishing nets. Use patch to create a backing and apply Aquasure® to the other side. Allow to cure for 24 hours then remove patch. The repair is strong, elastic and gentle on the fish.

## Luggage Repair

